

Created on Tuesday 08 April, 2008

#### Batting and Interfacing

### **Patchwork padding**

da: Prym



Modello: STOPRYM-968210

Ideal for patchwork and backing your finished needlework projects prior to framing, to create a slightly padded effect. Price is for a sack of 250gr.





### **Dressmaker's interfacing**

da: Prym



#### Modello: ACCPRYM-968200

This dressmaker's interfacing is particularly suited for stabilising fabrics in collars, cuffs, lapels, and pocket openings. It is trimmed to fit and very easily ironed on. In this manner, this white interfacing, made of 50% polyester and 50% viscose, provides all fabrics with the required stability and stiffness. The absolutely easy-care material can be washed at 40 degrees, dried in the dryer, and ironed. It can even be cleaned with perchloroethylene. The dressmaker's interfacing is available on a card in size 90 x 45 cm.







# **Piping interfacing**

da: Prym



#### Modello: ACCPRYM-968203

With this 6 mm-thick interfacing for piping, biases can very easily be processed into individual piping. To that end, the interfacing for piping is placed into the 3 cm-wide bias tape so that the string lies in the middle. It is then pinned and then gradually ironed in from the flat edge using the fusible interfacing. The use of a zipper foot is recommended for processing with a sewing machine. And in no time, the right seam edging is created for any piece of clothing. This interfacing for piping consists of 95% polyester and 5% polyamide and is washable at up to 40 degrees. Thickness: 6 mm, length: 5 m.

### Price: € 11.20 (incl. VAT)



## Fabric insert - Black

da: Prym



#### Modello: ACCPRYM-968310

When it comes to fine, dark fabrics, this black fabric insert is a proven solution, particularly for stabilizing collars, cuffs, lapels and much more. The interfacing is trimmed to fit and flatly ironed onto the cut-out fabric parts. In this manner, this black fabric interfacing, made of 85% polyamide and 15% polyester, provides all fabrics with the desired stiffness and stability. The absolutely easycare material can be washed at 40 degrees, and ironed. It can even be cleaned with perchloroethylene. Size: 90 x 60 cm.





### Seam tape interfacing

da: Prym




#### Modello: ACCPRYM-968235

Heavily-stressed seams such as armholes, neck openings, shoulder seams, and piping button holes are reinforced with this iron-on seam tape interfacing. The 10 mm-wide seam tape is ironed on with light pressure on the cut portion's seam contour and provides improved stability there. This prevents the fabric from warping when moved under the sewing machine's presser foot. The easycare and environmentally friendly seam tape is composed of 50% viscose and 50% cellulose. It can be washed at up to 40 degrees, dried in the dryer, and it can be ironed.

The card contains 10 m of iron-on seam tape.

### Price: € 8.40 (incl. VAT)





# Hemming web with iron-on backing paper - 20mm. White

da: Prym



Modello: ACCPRYM-968168

Prym's hemming web makes it possible to hem dresses, coats, skirts, and trousers, even without needles or a sewing machine. First, the web is ironed with the coated, free side along the edge of the fabric while it is protected by an anti-adhesive paper. After removing the anti-adhesive paper, the waistband can very easily be turned and ironed. This hemming web is made of 100% polyamide and is machine washable up to 60 degrees. Width: 20 mm, length: 5 m





### Edge tape interfacing, iron-on - 20mm - White da: Prym





Modello: ACCPRYM-968240

The Prym assortment offers a special edge tape, reinforced by vertical threads, for stabilizing armholes, front edges, lapels, and much more. This 20 mm, narrow tape is ironed along the round cutting edges and effortlessly provides support and stability. This allows for heavily-stressed edges, such as necklines or pocket openings, to be sufficiently reinforced, even with a diagonal grain line. This interfacing is made of 100% polyamide, is ironable, and can be washed at 40 degrees. The card contains a roll with 10 m of edge tape interfacing.





# Edge tape interfacing, iron-on 20mm - Graphite





Modello: ACCPRYM-968246

The Prym assortment offers a special edge tape, reinforced by vertical threads, for stabilizing armholes, front edges, lapels, and much more. This 20 mm, narrow tape is ironed along the round cutting edges and effortlessly provides support and stability. This allows for heavily-stressed edges, such as necklines or pocket openings, to be sufficiently reinforced, even with a diagonal grain line. This interfacing is made of 100% polyamide, is ironable, and can be washed at 40 degrees. The card contains a roll with 10 m of edge tape interfacing.

